

Product guide
Innovative and cost saving drinking systems



Product group

Page



Bite ball valves SS/OP 1



Bite valves SS/OP 1



Wet feed valves SS/OP 1



Bite ball valves SS/BR 2



Bite ball valves SS 3



Bite valves SS/BR 4



Bite valves SS 5



Wet feed valves SS/BR 6



Wet feed valves SS 7



Bowls/Cups 8






Trough/bowl valves SS 8



Accessories 9

One piece valves SS/OP

	Code	Description	Specification
Bite ball valves SS/OP			
	2060-200	Bite ball valve fatteners/calves	R1/2"-HP-SS/OP-B
	2061-200	Bite ball valve fatteners/calves	R1/2"-LP-SS/OP-B
	2062-200	Bite ball valve fatteners/calves	R1/2"-AFC-SS/OP-B
	2065-200	Bite ball valve sows	R1/2"-HP-SS/OP-B
	2066-200	Bite ball valve sows	R1/2"-LP-SS/OP-B
Bite valves SS/OP			
	2260-200	Bite valve fatteners	R1/2"-HP-SS/OP-B
	2261-200	Bite valve fatteners	R1/2"-LP-SS/OP-B
	2262-200	Bite valve fatteners	R1/2"-AFC-SS/OP-B
	2265-200	Bite valve sows	R1/2"-HP-SS/OP-B
	2266-200	Bite valve sows	R1/2"-LP-SS/OP-B
Wet feed valves SS/OP			
	3060-200	Wet feed valve pigs	R1/2"-HP-SS/OP-B
	3061-200	Wet feed valve pigs	R1/2"-LP-SS/OP-B
	3062-200	Wet feed valve pigs	R1/2"-AFC-SS/OP-B

Definitions

R: European thread

HP: High pressure by pump, 200-400 kPa, 2-4 bar

LP: Low pressure by tank, 20-50 kPa, 0,2-0,5 bar

AFC: Automatic flow control

SS/OP: Stainless steel/one piece

B: Bulk packing

Bite ball valves SS/BR

	Code	Description	Specification
	2000-200	Bite ball valve piglets	R3/8"-HP-SS/BR-B
	2001-200	Bite ball valve piglets	R3/8"-LP-SS/BR-B
	2005-200	Bite ball valve piglets	R1/2"-HP-SS/BR-B
	2006-200	Bite ball valve piglets	R1/2"-LP-SS/BR-B
	2007-200	Bite ball valve piglets-trainer	R1/2"-HP-SS/BR-B
	2008-200	Bite ball valve piglets-trainer	R1/2"-LP-SS/BR-B
	2010-200	Bite ball valve fatteners/calves	R1/2"-HP-SS/BR-B
	2011-200	Bite ball valve fatteners/calves	R1/2"-LP-SS/BR-B
	2012-200	Bite ball valve fatteners/calves	R1/2"-AFC-SS/BR-B
	2015-200	Bite ball valve sows	R1/2"-HP-SS/BR-B
	2016-200	Bite ball valve sows	R1/2"-LP-SS/BR-B
	2020-200	Bite ball valve sows/young cattle	R3/4"-HP-SS/BR-B
	2021-200	Bite ball valve sows/young cattle	R3/4"-LP-SS/BR-B
	2025-200	Bite ball valve sows/young cattle	R1/2"-HP-SS/BR-B
	2026-200	Bite ball valve sows/young cattle	R1/2"-LP-SS/BR-B
	2030-200	Bite ball valve beef cattle	R1"-HP-SS/BR-B
	2031-200	Bite ball valve beef cattle	R1"-LP-SS/BR-B

Definitions

R: European thread

HP: High pressure by pump, 200-400 kPa, 2-4 bar








LP: Low pressure by tank, 20-50 kPa, 0,2-0,5 bar

AFC: Automatic flow control

SS/BR: Stainless steel/brass

B: Bulk packing

Bite ball valves SS

	Code	Description	Specification
	2100-200	Bite ball valve piglets	R3/8"-HP-SS-B
	2101-200	Bite ball valve piglets	R3/8"-LP-SS-B
	2105-200	Bite ball valve piglets	R1/2"-HP-SS-B
	2106-200	Bite ball valve piglets	R1/2"-LP-SS-B
	2107-200	Bite ball valve piglets-trainer	R1/2"-HP-SS-B
	2108-200	Bite ball valve piglets-trainer	R1/2"-LP-SS-B
	2110-200	Bite ball valve fatteners/calves	R1/2"-HP-SS-B
	2111-200	Bite ball valve fatteners/calves	R1/2"-LP-SS-B
	2112-200	Bite ball valve fatteners/calves	R1/2"-AFC-SS-B
	2115-200	Bite ball valve sows	R1/2"-HP-SS-B
	2116-200	Bite ball valve sows	R1/2"-LP-SS-B
	2120-200	Bite ball valve sows/young cattle	R3/4"-HP-SS-B
	2121-200	Bite ball valve sows/young cattle	R3/4"-LP-SS-B
	2125-200	Bite ball valve sows/young cattle	R1/2"-HP-SS-B
	2126-200	Bite ball valve sows/young cattle	R1/2"-LP-SS-B
	2130-200	Bite ball valve beef cattle	R1"-HP-SS-B
	2131-200	Bite ball valve beef cattle	R1"-LP-SS-B

Definitions

R: European thread

HP: High pressure by pump, 200-400 kPa, 2-4 bar







LP: Low pressure by tank, 20-50 kPa, 0,2-0,5 bar

AFC: Automatic flow control

SS: Stainless steel/brass

B: Bulk packing

Bite valves SS/BR

	Code	Description	Specification
	2200-200	Bite valve piglets	R3/8"-HP-SS/BR-B
	2201-200	Bite valve piglets	R3/8"-LP-SS/BR-B
	2205-200	Bite valve piglets	R1/2"-HP-SS/BR-B
	2206-200	Bite valve piglets	R1/2"-LP-SS/BR-B
	2207-200	Bite valve piglets-trainer	R1/2"-HP-SS/BR-B
	2208-200	Bite valve piglets-trainer	R1/2"-LP-SS/BR-B
	2210-200	Bite valve fatteners	R1/2"-HP-SS/BR-B
	2211-200	Bite valve fatteners	R1/2"-LP-SS/BR-B
	2212-200	Bite valve fatteners	R1/2"-AFC-SS/BR-B
	2215-200	Bite valve sows	R1/2"-HP-SS/BR-B
	2216-200	Bite valve sows	R1/2"-LP-SS/BR-B
		2220-200	Bite valve sows
2221-200		Bite valve sows	R3/4"-LP-SS/BR-B
	2225-200	Bite valve sows	R1/2"-HP-SS/BR-B
	2226-200	Bitel valve sows	R1/2"-LP-SS/BR-B

Definitions

R: European thread

HP: High pressure by pump, 200-400 kPa, 2-4 bar







LP: Low pressure by tank, 20-50 kPa, 0,2-0,5 bar

AFC: Automatic flow control

SS/BR: Stainless steel/brass

B: Bulk packing

Bite valves SS

	Code	Description	Specification
	2300-200	Bite valve piglets	R3/8"-HP-SS-B
	2301-200	Bite valve piglets	R3/8"-LP-SS-B
	2305-200	Bite valve piglets	R1/2"-HP-SS-B
	2306-200	Bite ball valve piglets	R1/2"-LP-SS-B
	2307-200	Bite valve piglets-trainer	R1/2"-HP-SS-B
	2308-200	Bite valve piglets-trainer	R1/2"-LP-SS-B
	2310-200	Bite valve fatteners	R1/2"-HP-SS-B
	2311-200	Bite valve fatteners	R1/2"-LP-SS-B
	2312-200	Bite valve fatteners	R1/2"-AFC-SS-B
	2315-200	Bite valve sows	R1/2"-HP-SS-B
	2316-200	Bite valve sows	R1/2"-LP-SS-B
	2320-200	Bite valve sows	R3/4"-HP-SS-B
	2321-200	Bitel valve sows	R3/4"-LP-SS-B
	2325-200	Bite valve sows	R1/2"-HP-SS-B
	2326-200	Bite valve sows	R1/2"-LP-SS-B

Definitions

R: European thread

HP: High pressure by pump, 200-400 kPa, 2-4 bar





LP: Low pressure by tank, 20-50 kPa, 0,2-0,5 bar

AFC: Automatic flow control

SS: Stainless steel

B: Bulk packing

Wet feed valves SS/BR

	Code	Description	Specification
	3005-200	Wet feed valve piglets	R1/2"-HP-SS/BR-B
	3006-200	Wet feed valve piglets	R1/2"-LP-SS/BR-B
	3007-200	Wet feed valve piglets-trainer	R1/2"-HP-SS/BR-B
	3008-200	Wet feed valve piglets-trainer	R1/2"-LP-SS/BR-B
	3010-200	Wet feed valve pigs	R1/2"-HP-SS/BR-B
	3011-200	Wet feed valve pigs	R1/2"-LP-SS/BR-B
	3012-200	Wet feed valve pigs	R1/2"-AFC-SS/BR-B
	3015-200	Wet feed valve pigs-trainer	R1/2"-HP-SS/BR-B
	3016-200	Wet feed valve pigs-trainer	R1/2"-LP-SS/BR-B
	3017-200	Wet feed valve pigs-trainer	R1/2"-AFC-SS/BR-B

Definitions

R: European thread

HP: High pressure by pump, 200-400 kPa, 2-4 bar

LP: Low pressure by tank, 20-50 kPa, 0,2-0,5 bar

AFC: Automatic flow control

SS/BR: Stainless steel/brass

B: Bulk packing

Wet feed valves SS

	Code	Description	Specification
	3105-200	Wet feed valve piglets	R1/2"-HP-SS-B
	3106-200	Wet feed valve piglets	R1/2"-LP-SS-B
	3107-200	Wet feed valve piglets-trainer	R1/2"-HP-SS-B
	3108-200	Wet feed valve piglets-trainer	R1/2"-LP-SS-B
	3110-200	Wet feed valve pigs	R1/2"-HP-SS-B
	3111-200	Wet feed valve pigs	R1/2"-LP-SS-B
	3112-200	Wet feed valve pigs	R1/2"-AFC-SS-B
	3115-200	Wet feed valve pigs-trainer	R1/2"-HP-SS-B
	3116-200	Wet feed valve pigs-trainer	R1/2"-LP-SS-B
	3117-200	Wet feed valve pigs-trainer	R1/2"-AFC-SS-B

Definitions

R: European thread

HP: High pressure by pump, 200-400 kPa, 2-4 bar

LP: Low pressure by tank, 20-50 kPa, 0,2-0,5 bar

AFC: Automatic flow control

SS: Stainless steel

B: Bulk packing

Bowls/Cups

	Code	Description	Specification
	5000-200	Trainer set piglets	R1/2"-HP-SS-B
	5001-200	Trainer set piglets	R1/2"-LP-SS-B
			
	5010-200	Cup piglets	R1/2"-HP-SS-B
	5011-200	Cup piglets	R1/2"-LP-SS-B
	6000-100	Bowl calves/sows	R1/2"-HP-SS-I
	4110-200	Servo valve for bowls/troughs	R1/2"-HP-SS-B

Definitions

R: European thread

HP: High pressure by pump, 200-400 kPa, 2-4 bar







LP: Low pressure by tank, 20-50 kPa, 0,2-0,5 bar

SS: Stainless steel

B: Bulk packing

I: Individual packing

Accessories

	Code	Description	Specification
	7010-200	Wallbracket 15 degrees	R1/2"-SS-B
	7020-200	Adjustable wallbracket 15 degrees	R1/2"-SS-B
	7030-200	Drinking guide pigs	R1/2"-SS-B
	7110-200	Pipe 500 mm	R1/2"-SS-B
	7111-200	Pipe 750 mm	R1/2"-SS-B
	7112-200	Pipe 1000 mm	R1/2"-SS-B

Definitions

R: European thread

SS: Stainless steel

B: Bulk packing

AquaGlobe[®]

LIVESTOCK DRINKING SYSTEMS

AquaGlobe AB • Ulls v. 33 A • SE-75651 Uppsala • Sweden
Tel. +46 18 304470 • Fax +46 18 301104
Homepage: www.aquaglobe.se
E-mail: info@aquaglobe.se